



Product Service

CERTIFICATE

No. Z2 037208 0109 Rev. 00

Holder of Certificate: **KRAIBURG Relastec GmbH & Co. KG**

Fuchsberger Str. 4
29410 Salzwedel
GERMANY

Certification Mark:



Product: **Fall protection slabs**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713313484-1

Valid until: 2028-11-21

Date, 2023-11-29

(Jens Biesenack)

CERTIFICATE

No. Z2 037208 0109 Rev. 00

Model(s):

Euroflex Fall protection slabs EPDM 30 mm
 Euroflex Fall protection slabs EPDM 40 mm
 Euroflex Fall protection slabs EPDM 50 mm
 Euroflex Fall protection slabs EPDM 55 mm
 Euroflex Fall protection slabs EPDM 70 mm
 Euroflex Fall protection slabs EPDM 80 mm
 Euroflex EPDM Softsystem 90
 Euroflex Fall protection slabs EPDM Mulch 30 mm
 Euroflex Fall protection slabs EPDM Mulch 40 mm
 Euroflex Fall protection slabs EPDM Mulch 50 mm
 Euroflex Fall protection slabs EPDM Mulch 55 mm
 Euroflex Fall protection slabs EPDM Mulch 70 mm
 Euroflex Fall protection slabs EPDM Mulch 80 mm
 Euroflex EPDM Mulch Softsystem 90

Parameters:

Euroflex articles consist of black rubber granulate and coloured EPDM coating. Polyurethane is used as binder and the surface is open-pored smooth.
 The Euroflex articles have shock absorbing properties and integrated connector pins.
 The softsystem consist of white fleece and black plastic fabric

Overview Euroflex fall protection slabs EPDM

Model name	Dimensions slabs [mm]	Weight [kg]/[m²]	Max. falling height [m]
EPDM 30 mm	500 x 500 x 30	ca. 22,4	1,00
EPDM 40 mm	500 x 500 x 40	ca. 32,4	1,20
EPDM 50 mm	500 x 500 x 50	ca. 33,6	1,40
EPDM 55 mm	500 x 500 x 55	ca. 37,2	1,60
EPDM 70 mm	500 x 500 x 70	ca. 43,2	2,10
EPDM 80 mm	500 x 500 x 80	ca. 51,2	2,40
EPDM Softsystem 90 substructure	500 x 500 x 70 + 30000 x 1000 x 20 (substructure)	ca. 43,2 + 1,0	3,00

CERTIFICATE

No. Z2 037208 0109 Rev. 00

Overview Euroflex fall protection slabs EPDM Mulch

Model name	Dimensions slabs [mm]	Weight [kg]/[m ²]	Max. falling height [m]
EPDM Mulch 30 mm	500 x 500 x 30	ca. 20,4	1,00
EPDM Mulch 40 mm	500 x 500 x 40	ca. 30,4	1,20
EPDM Mulch 50 mm	500 x 500 x 50	ca. 31,6	1,40
EPDM Mulch 55 mm	500 x 500 x 55	ca. 35,2	1,60
EPDM Mulch 70 mm	500 x 500 x 70	ca. 42,4	2,10
EPDM Mulch 80 mm	500 x 500 x 80	ca. 49,6	2,40
EPDM Mulch Softsystem 90 substructure	500 x 500 x 70 + 30000 x 1000 x 20 (substructure)	ca. 42,2 + 1,0	3,00

**Tested
according to:**

DIN EN 1176-1:2017
EN 1176-1:2017
DIN EN 1177:2018
EN 1177:2018